

## **Skamol Primer**

Replaces date: 31/08/2023 Revision date: 07/11/2023

Version: 2.1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Skamol Primer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Primer

## 1.3. Details of the supplier of the safety data sheet

Supplier

Company: Skamol Group

Address: Hasselager Centervej 1

 Zip code:
 8260

 City:
 Viby J

 Country:
 DENMARK

 E-mail:
 info@skamol.com

 Phone:
 +45 97 72 15 33

#### 1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes. Persons with a known allergy to reaction

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) may

exhibit an allergic response to the product.

#### 2.2. Label elements

## Supplemental information

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Contains a biocidal product: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) , (ethylenedioxy)dimethanol .

## 2.3. Other hazards

The product does not contain any PBT or vPvB substances. Endocrine disrupting properties: None known.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
(ethylenedioxy) dimethanol	3586-55-8 222-720-6	< 0.02 %		Acute Tox. 4;H302 Skin Irrit. 2;H315 Eye Dam. 1;H318



## **Skamol Primer**

Replaces date: 31/08/2023 Revision date: 07/11/2023 Version: 2.1.0

lighthiazol-3-one and 3- 1	55965-84-9 611-341-5	< 0.0015 %	Acute Tox. 3;H301 Acute Tox. 2;H310 Skin Corr. 1C;H314 Skin Sens. 1A;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 1;H410  EUH071  C ≥ 0.6%: Skin Corr. 1C; H314 0.06% ≤ C < 0.6%: Skin Irrit. 2;H315 C ≥ 0.6%: Eye Dam. 1;H318 0.06% ≤ C < 0.6%: Eye Irrit. 2;H319 C ≥ 0.015%: Skin Sens. 1A;H317 M (acute): 100 M (chronic): 100

Please see section 16 for the full text of H- / EUH-phrases.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation:** Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

**Skin contact:** Remove contaminated clothing. Wash the skin with water.

**Eye contact:** Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**General:** When obtaining medical advice, show the safety data sheet or label.

## 4.2. Most important symptoms and effects, both acute and delayed

May irritate the skin - may cause reddening. May cause eye irritation. The product contains small amounts of reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Persons with a known allergy may exhibit an allergic response to the product.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

## 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Wear safety goggles if there is a risk of eye



#### Skamol Primer

Replaces date: 31/08/2023 Revision date: 07/11/2023

Version: 2.1.0

splash. Wear gloves.

In addition to the above: Normal protective clothing equivalent to EN 469 is recommended. For emergency responders:

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

## 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

## 7.3. Specific end use(s)

None.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements.

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

166.

hand protection:

Personal protective equipment, Plastic or rubber gloves recommended.

Personal protective equipment, Not required.

respiratory protection:

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

## **SECTION 9: Physical and chemical properties**



## **Skamol Primer**

Replaces date: 31/08/2023 Revision date: 07/11/2023 Version: 2.1.0

9.1. Information on basic physical and chemical properties

The internation of Audio projects and offended properties				
Parameter	Value/unit			
State	Liquid			
Colour	Colourless			
Odour	No data			
Solubility	No data			

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	> 100 °C	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	7 - 8	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	1 - 1.1 g/cm³	
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

## 9.2. Other information

Other Information: None.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Not reactive.

## 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

## 10.3. Possibility of hazardous reactions

None known.

## 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

None known.



#### Skamol Primer

Replaces date: 31/08/2023 Revision date: 07/11/2023

Version: 2.1.0

#### 10.6. Hazardous decomposition products

Can generate harmful flue gases containing carbon monoxide in the event of fire.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: Ingestion of large quantities may cause discomfort. The product does not have to be

classified. Test data are not available.

**Acute toxicity - dermal:** The product does not have to be classified. Test data are not available.

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May irritate the skin - may cause reddening. The product does not have to be classified.

Test data are not available.

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Test data are not

available.

Respiratory sensitisation or

skin sensitisation:

The product contains small amounts of reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Persons with a known allergy may exhibit an allergic response to the product. The product does not have to be classified. Test data are

not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

**Single STOT exposure:** The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

No known data.

Other toxicological effects: None known.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product does not have to be classified. Test data are not available.

## 12.2. Persistence and degradability

Test data are not available.

#### 12.3. Bioaccumulative potential

Test data are not available.

## 12.4. Mobility in soil



## **Skamol Primer**

Replaces date: 31/08/2023 Revision date: 07/11/2023

Version: 2.1.0

Test data are not available.

## 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

No known data.

#### 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: EWC code: Depends on line of business and use, for instance

Product: 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02.

## **SECTION 14: Transport information**

14.1. UN number or ID number: Not applicable. 14.4. Packing group: Not applicable. Not applicable. 14.5. Environmental 14.2. UN proper shipping

name:

hazards:

Not applicable.

14.3. Transport hazard

class(es):

Not applicable.

#### 14.6. Special precautions for user

None.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** Covered by:

Regulation (EU) of the European Parliament and of the Council concerning the making

available on the market and use of biocidal products.

## 15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

## **SECTION 16: Other information**

#### Version history and indication of changes

Copyright © 1995 - 2023 DGOffice B.V., www.DGOffice.net



## **Skamol Primer**

Replaces date: 31/08/2023 Revision date: 07/11/2023

Version: 2.1.0

Version	Revision date	Responsible	Changes
2.1.0	07/11/2023	Bureau Veritas HSE/SUJ	7,8,16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

**Hazard statements** 

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: GB